

(19) World Intellectual Property Organization International Bureau



(43) International Publication Date
15 September 2005 (15.09.2005)

PCT

(10) International Publication Number
WO 2005/085196 A3

(51) International Patent Classification⁷: **C07D 209/48**, 233/66, 471/04, A61K 31/4035, A61P 35/00

(21) International Application Number:
PCT/EP2005/002437

(22) International Filing Date: 8 March 2005 (08.03.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
04005498.3 8 March 2004 (08.03.2004) EP
04014619.3 22 June 2004 (22.06.2004) EP


(71) Applicants (for all designated States except US): **DKFZ** [DE/DE]; Deutsches Krebsforschungszentrum, Stiftung des öffentlichen Rechts, Im Neuenheimer Feld 280, 69120 Heidelberg (DE). **INSTITUTE OF BIOCHEMISTRY AND BIOPHYSICS PAS** [PL/PL]; Pawinskiego 5a, 02-106 Warszawa (PL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **GARCIA BOY, Regine** [DE/DE]; Mönchhofstrasse 54, 69120 Heidelberg (DE). **LYKO, Frank** [DE/DE]; Albert-Mays-Strasse 3, 69115 Heidelberg (DE). **SIEDLECKI, Paweł** [PL/PL]; Mokotowska 24/4, PL-00-560 Warszawa (PL).

(74) Agent: **HUHN, Michael**; Isenbruck, Bösl, Hörschler, Wichmann, Huhn, Patentanwälte, Theodor-Heuss-Anlage 12, 68165 Mannheim (DE).

(54) Title: INHIBITORS OF DNA METHYLATION IN TUMOR CELLS



(57) Abstract: The present invention relates to compounds according to the general formula (I) wherein the dotted lines denote a single bond which is optionally present, with 2 dotted lines denoting a double bond; wherein, in case no double bond is present and a free valence exists, this valence is occupied by H; and wherein the symbols in particular have the following meanings: R¹ and R² are independently from each other selected from the group consisting of: H; OH; (=O); halogens; pseudohalogens; NH₂; S(O)_mR⁵; SO₂NH₂; C(O)R⁸; C(O)OR⁹; CONH₂; C₁-C₂-alkyl substituted by NH₂, OH, S(O)_mR⁵, SO₂NH₂, C(O)R⁸, C(O)OR⁹, CONH₂; C₁-C₂-alkoxy substituted by NH₂, OH, S(O)_mR⁵, SO₂NH₂, C(O)R⁸, C(O)OR⁹, CONH₂; Ar denotes an unsubstituted mononuclear aryl group having 6 or 7 members, which aryl group is annulated to the neighbouring 5-membered cycle, and which may carry 1, 2 or 3 heteroatoms from the group N, O and S in its cycle; Y, Z denote independently from each other a nitrogen atom or a methylene group; X is a nitrogen atom or a methylene group; A is selected from the group consisting of: H; halogens and pseudohalogens; OH; =N(OH); NR¹²R¹³; OSO₃⁻; S(O)_mR¹⁴; SO₂NR¹⁵R¹⁶; C(O)R¹⁷; C(O)OR¹⁸; CONR¹⁹R²⁰; C(S)R²¹; C(S)OR²²; unsubstituted and at least monosubstituted C₁-C₆-alkyl which can carry in its chain one or more non-adjacent heteroatoms from the group nitrogen and oxygen. These compounds are used as inhibitors of DNA methylation and therefore useful in the treatment of various forms of cancer.

WO 2005/085196 A3